



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-011
Job Sheet 200799



Part No: D350-636-011

Job Qty: 1 pcs

Part Name: Skidtube LH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 9/18/19

Job Tracking No:

Due Date: 10/11/19

Created By: Marie Lajeunesse

Type: Stock

Description: SIOP

Note: D2750-041 REV.H IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsi9343
IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verf:EC IPP Rev:M 08-04-22 DD verified:EC IPP
Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD ver:EC IPP Rev:P 10.06.22
revise seq110 DD ver:EC IPP Rev:Q 10.10.01 as per IIN revH DDver:EC IPP REV:R 13.08.27 PER ECN13-
594 DD VERF:JLM IPP REV:S 18.11.09 AS PER ECN18-830 DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Skidtubes - 1	1 pcs	10/11/19		0.00	4.55	Skidtubes - 1		
							Skidtubes - 2		
							Skidtubes - 3		
							Skidtubes - 4		
							Skidtubes - 5		
							Skidtubes - 6		
							Skidtubes - 7		
120	QC 10	1 pcs	10/11/19		0.00	0.00	QC 10 - 10		
							QC 10 - 18		
							QC 10 - 24		
							QC 10 - 43		
							QC 10 - 50		
							QC 10 - 58		
							QC 10 - 9		
130	QC 5	1 pcs	10/11/19		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S215447



Part: D350-636-011

Job No: 200799

Serial No/Batch: S215447

Revision: H

Inspector:

Exp Date:

Instructions: FAA STC SR00646SE 18/10/17, TC STC SH!

Plex 9/18/19 8:44 AM Dart.lajeunesse.marie

140 Handfinish - 1-1 Chemical-B4B	1 pcs	10/11/19	0.00 0.93	QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
				Handfinish - 1 - 1 - B4B	
				Handfinish - 1 - 2 - B4B	
				Handfinish - 1 - 3 - B4B	4
				Handfinish - 1 - 4 - B4B	
				Handfinish - 1 - 5 - B4B	
				Handfinish - 1 - 6 - B4B	
				Handfinish - 1 - 7 - B4B	
				Handfinish - 1 - 8 - B4B	
				Handfinish - 1 - 9 - B4B	
				Handfinish - 1 - 10 - B4B	
				Handfinish - 1 - 11 - B4B	
				Handfinish - 1 - 12 - B4B	
				Handfinish - 1 - 13 - B4B	
				Handfinish - 1 - 14 - B4B	
				Handfinish - 1 - 15 - B4B	
				Handfinish - 1 - 16 - B4B	
				Handfinish - 1 - 17 - B4B	
				Handfinish - 1 - 18 - B4B	
				Handfinish - 1 - 19 - B4B	
				Handfinish - 1 - 20 - B4B	
				Handfinish - 1 - 21 - B4B	
				Handfinish - 1 - 22 - B4B	
150 QC 7	1 pcs	10/11/19	0.00 0.00	QC 7 - 10	
				QC 7 - 13	
				QC 7 - 14	
				QC 7 - 15	
				QC 7 - 17	
				QC 7 - 18	BE
				QC 7 - 19	
				QC 7 - 2	
				QC 7 - 28	
				QC 7 - 3	
				QC 7 - 30	
				QC 7 - 34	
				QC 7 - 36	
				QC 7 - 37	
				QC 7 - 41	
				QC 7 - 47	
				QC 7 - 48	
				QC 7 - 51	
				QC 7 - 58	
				QC 7 - 59	
				QC 7 - 60	

						QC 7 - 9	
						QC 7 - 68	
						QC 7 - 50	
						QC 7 - 67	
						QC 7 - 40	
						QC 7 - 24	
						QC 7 - 43	
						QC 7 - 61	
						QC 7 - 81	
						QC 7 - 76	
160 Skidtubes - 2 - B4B	1 pcs	10/11/19	0.00	4.55		Skidtubes - 1 - B4B	
						Skidtubes - 2 - B4B	
						Skidtubes - 3 - B4B	M/L
						Skidtubes - 4 - B4B	
						Skidtubes - 5 - B4B	BE
						Skidtubes - 6 - B4B	
						Skidtubes - 7 - B4B	
170 QC 10	1 pcs	10/11/19	0.00	0.00		QC 10 - 10	
						QC 10 - 18	
						QC 10 - 24	
						QC 10 - 43	
						QC 10 - 50	EL
						QC 10 - 58	
						QC 10 - 9	
180 QC 5	1 pcs	10/11/19	0.00	0.00		QC 5 - 10	
						QC 5 - 12	
						QC 5 - 17	
						QC 5 - 18	
						QC 5 - 19	
						QC 5 - 22	
						QC 5 - 24	
						QC 5 - 3	
						QC 5 - 43	
						QC 5 - 49	
						QC 5 - 51	
						QC 5 - 58	
						QC 5 - 68	
						QC 5 - 9	
						QC 5 - 50	EL
						QC 5 - 30	
						QC 5 - 40	
						QC 5 - 61	
						QC 5 - 81	
190 Handfinish - 2-1 Pressure-B4B	1 pcs	10/11/19	0.00	0.33		Handfinish - 2 - 1 - B4B	
						Handfinish - 2 - 2 - B4B	
						Handfinish - 2 - 3 - B4B	
						Handfinish - 2 - 4 - B4B	
200 Spray Paint - 2 - B4B	1 pcs	10/11/19	0.00	0.91		Spray Paint - 1 - B4B	
						Spray Paint - 2 - B4B	RD 19-10-12
						Spray Paint - 3 - B4B	
						Spray Paint - 4 - B4B	
204 QC 14	1 pcs	10/11/19	0.00	0.00		QC 14 - 15	EL 19-10-15
						QC 14 - 2	
						QC 14 - 34	
						QC 14 - 41	
						QC 14 - 51	
						QC 14 - 58	
						QC 14 - 59	
						QC 14 - 9	
						Plex 9/18/19 8:44 AM Dart.lajeunesse.marie	

230 Handfinish - 4-1-Assembly-B4B	1 pcs	10/11/19	0.00 0.93	QC 14 - 68	
				QC 14 - 40	
				QC 14 - 19	
				QC 14 - 43	
				QC 14 - 24	
				QC 14 - 61	
				QC 14 - 81	
				Handfinish - 4 - 1 - B4B	MA 14-70-12
				Handfinish - 4 - 10 - B4B	
				Handfinish - 4 - 11 - B4B	
				Handfinish - 4 - 12 - B4B	
				Handfinish - 4 - 13 - B4B	
				Handfinish - 4 - 14 - B4B	
				Handfinish - 4 - 15 - B4B	
240 QC 5	1 pcs	10/11/19	0.00 0.00	Handfinish - 4 - 2 - B4B	
				Handfinish - 4 - 3 - B4B	
				Handfinish - 4 - 4 - B4B	
				Handfinish - 4 - 5 - B4B	
				Handfinish - 4 - 6 - B4B	
				Handfinish - 4 - 7 - B4B	
				Handfinish - 4 - 8 - B4B	
				Handfinish - 4 - 9 - B4B	
				QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	
				QC 5 - 9	
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
250 Packaging 1-1 - Pick Kit - B4B	1 pcs	10/11/19	0.00 0.00	Packaging 1 - 1 - B4B	
				Packaging 1 - 2 - B4B	
				Packaging 1 - 3 - B4B	
				Packaging 1 - 4 - B4B	
				Packaging 1 - 5 - B4B	
				Packaging 1 - 6 - B4B	
				Packaging 1 - 7 - B4B	
				Packaging 1 - 8 - B4B	
				Packaging 1 - 9 - B4B	
				Packaging 1 - 10 - B4B	
				Packaging 1 - 11 - B4B	
				Packaging 1 - 12 - B4B	
				Packaging 1 - 13 - B4B	

Plex 9/18/19 8:44 AM Dart.lajeunesse.marie

				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
275 DC - 1 - B4B	1	10/11/19	0.00 0.00	DC - 1 - B4B	
	pcs			DC - 2 - B4B	
280 QC 21 - FG	1	10/11/19	0.00 0.00	QC 21 - FG - 21	
	pcs			QC 21 - FG - 70	
				QC 21 - SA - 53	

Part Op 110 - (Skid tubes) 1- Pick D2600-3 Bent 2- Deburr FWD and AFT ends, remove bending marks. Scribe batch# inside AFT
 Descriptions: end per dwg D2750-1 3- Drill pilot holes for blade fitting bolt holes using DT8983. Start with 3/16", then open to 0.500" using center drill then ream holes using 0.500" reamer. PIN first side. Repeat process on second side. ***ENSURE PROPER POSITIONING FWD BEND MUST BE FACING UP WHEN DRILLING FIRST SIDE*** Drill pilot holes as per Dwg D2750 sheet 4 (D2750-1 details). Drill using drill Jig DT8150 & DT8863A for 2nd side only DT8863B for first side (detail B) 4- Locate DT8330 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 5-Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 6-Open up holes of Detail A to 0.297" (total of 2 holes per side) 7-Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 A/R Aluminum Rod batch: 139011 8-Grind welds flush as per Dwg D2750
 120 - (QC10- Inspect visual per QSI004- ground welds)
 130 - (QC5- Inspect part completeness to step on W/O)
 140 - (Chemical Conversion Coat per QSI005 4.1)
 150 - (QC7-Inspect Chemical Conversion Coat)
 160 - (Skid tubes) 1-Open up holes using hole saw of Detail C and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 2-Open up holes using hole saw of Detail B to 0.750" (total of 4 holes per side) as per dwg D2750. 3- Open float hole using un-bit to 0.500" (4 per side) 4-Chamfer holes of Detail B, C, ground handling and float holes per dwg D2750 (welding instructions on sheet 8) 5-Deburr and blow out all chips from inside of tube 6- Prepare tube for welding, remove alodine as required. 7-Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: 5200625 exp. date: 07/24/2020 ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)*** 8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 8) A/R Aluminum Rod batch: 139011 9- At section AJ-AJ drill out x-bolt spacer to 0.404" 10-Grind welds flush as per Dwg D2750 11-Spot face ground handling holes section (total of 4 places per side) as per dwg D2750 12-Deburr holes, ensure tube is free of all scratches before sending to paint.
 170 - (QC10- Inspect visual per QSI004- ground welds)
 180 - (QC5- Inspect part completeness to step on W/O) ***VERIFY C'BOARD IS GOOD***
 190 - (Pressure Wash per QSI005 4.3/ Clean and remove all markings) Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.
 200 - (Spray Paint / NDT Room) 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: 5200299 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: 5213125
 204 - (QC14- Inspect Spray Paint) Inspect for foreign object per QSI 024
 230 - (Assemble as per dwg) 1- Install inserts as per Dwg D2750 2-Inspect for Foreign Objects 3- Install blade fitting D3488-041, wearshoes and ground handling hardware as per dwg D2750 SIKA FLEX 241 BATCH: 5200625 EXP DATE: 7-6-20 4- Assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube batch: 5193847 5- Coat all exposed fasteners with "LPS Procyon" batch: 5133640
 240 - (QC5- Inspect part completeness to step on W/O)
 250 - (Pick Kit)
 260 - (QC4- 100% Inspect kits for completeness) *****ensure antiseize is on AN8C21A bolts*****
 270 - (Identify as per dwg & Stock Location: 89.8) Package as per PPP D350-636-011 Location : FG108
 275 - (Document Control) record fwd angle: 89.8 Photocopy blue file and type labels per PPP D350-636-011 CHG 008
 280 - (QC21- Final Inspection - Work Order Release)

Job BOM				012469
Part / Item	Component Name	Quantity	Operation	Container
D2600-3-BENT-LH	Extrusion Bent LH	1 pcs (1 ea)	110-Skidtubes - 1	5197857
D2744	Cap	1 pcs (1 ea)	110-Skidtubes - 1	5197776
D2739	350 I-Beam	1 pcs (1 ea)	160-Skidtubes - 2 - B4B	5201179
D2743	Crossbolt Spacer	8 pcs (8 ea)	160-Skidtubes - 2 - B4B	5194932
D3490-1	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5200527
D3490-3	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5199622
AN3C5A	Bolt	34 Ea (34 ea)	230-Handfinish - 4-1-Assembly-B4B	5216219
AN3C6A	Bolt 5167183 (x7)	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5217714 (x7)
AN6C44A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5216233
AN8C35A	Bolt	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5217983
D2745	Bushing	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5206359
D3488-3	Blade Fitting, LH	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5184950
D3492-1	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5204549
D3492-3	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5215332
D3537-1	Wearpad	3 pcs (3 ea)	230-Handfinish - 4-1-Assembly-B4B	5203779
D3631-1	Washer	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5184192
D3791-1	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5214727
D3793-1	Wearplate Fwd	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5208541
D3793-3	Wearplate Aft	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5210540
MS21043-6	Nut	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5216281
MS21083C8	Nut	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5192757
NAS1149C0332R	Washer (AN960C10L)	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5218184
NAS1149C0832R	Washer (AN960C816L)	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5076017-3
NAS1515H3L	Washer	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5214721
NAS1611-010	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5057659
NAS1611-013	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5217822
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5190157
D3793-5	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	520518
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5184404
D2741	Replacement Blade	1 pcs (1 ea)	250-Packaging 1-1 - Pick Kit - B4B	5210551
D3493-1	Washer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5199486
D3532-1	Spacer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5163195
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5215506
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5166718

012450

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - 1	D2600-3-BENT-LH	1	4	0
	D2744	1	38	0
	D2739	1	4	0
160-Skidtubes - 2 - B4B	D2743	8	369	0
	D3490-1	4	190	0
	D3490-3	4	21	0
230-Handfinish - 4-1-Assembly-B4B	ALS4-1032-225	38	1,872	0
	AN3C5A	34	689	0
	AN3C6A	4	95	0
	AN6C44A	4	60	0
	AN8C35A	1	14	0
	D2745	8	104	0
	D3488-3	1	18	0
	D3492-1	8	92	0
	D3492-3	8	50	0
	D3537-1	3	152	0
	D3631-1	8	256	0
	D3791-1	1	22	0
	D3793-1	1	30	0
	D3793-3	1	18	0
	D3793-5	1	27	0
	MS21043-6	4	48	0
	MS21083C8	1	46	0
	NAS1149C0332R	38	2,998	0
	NAS1149C0832R	1	267	0
	NAS1515H3L	4	43	0
	NAS1611-010	8	131	0
	NAS1611-013	8	128	0
250-Packaging 1-1 - Pick Kit - B4B	AN8C21A	2	81	0
	D2741	1	65	0
	D3493-1	2	37	0
	D3532-1	2	25	0
	MS21083C8	2	46	0
	NAS1149D0863J	2	349	0
Part Specifications				
Specifications could not be found.				

Plex 9/18/19 8:44 AM Dart.lajeunesse.marie

Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐



Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Cross tube ☐ Eng. (Non-AW) ☐ Small Fab ☐ Prod. Eng. Coord. ☐ Finishing ☐ Rec/Store/Packaging ☐		Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QS1042)					
Description Work Order Deviation		Disposition							
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY							
		Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐		Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐		Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread ☐	
		Other/Details:							
		Completed By _____ Lead hand / Supervisor _____ QC / QA Coordinator _____							

5.0 PARTS LIST

D350-636-011/-012/-013/-014 SKIDTUBES AT CHG 008 AND SUBSEQUENT
D350-636-021/-022 SKIDTUBES AT CHG 001 AND SUBSEQUENT

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
	X							D350-636-011	SKIDTUBE INSTALLATION, LH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
		X						D350-636-012	SKIDTUBE INSTALLATION, RH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
			X					D350-636-013	SKIDTUBE INSTALLATION, LH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
				X				D350-636-014	SKIDTUBE INSTALLATION, RH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
					X			D350-636-021	SKIDTUBE INSTALLATION, LH, STD
						X		D350-636-022	SKIDTUBE INSTALLATION, RH, STD
							X	D350-636-049	WEARSHOE KIT
1	1							D2750-041	SKIDTUBE ASSEMBLY, LH
1		1						D2750-042	SKIDTUBE ASSEMBLY, RH
1			1					D2750-043	SKIDTUBE ASSEMBLY, LH
1				1				D2750-044	SKIDTUBE ASSEMBLY, RH
1					1			D2750-051	SKIDTUBE ASSEMBLY, LH
1						1		D2750-052	SKIDTUBE ASSEMBLY, RH
*1	1							D2750-1	SKIDTUBE WELDMENT, LH
*1		1						D2750-2	SKIDTUBE WELDMENT, RH
*1			1					D2750-3	SKIDTUBE WELDMENT, LH
*1				1				D2750-4	SKIDTUBE WELDMENT, RH
1					1			D2750-5	SKIDTUBE WELDMENT, LH
1						1		D2750-6	SKIDTUBE WELDMENT, RH
**2	8	8	8	8	8	8		350A41-1027-20	SCREW
**3	8	8	8	8	8	8		23119AG120LE	WASHER
**4	8	8	8	8	8	8		22541N120	NUT
*5	1	1	1	1	1	1		AN8C35A	BOLT
*6A	1	1	1	1	1	1		NAS1149C0832R	WASHER
*7	1	1	1	1	1	1		MS21083C8	NUT
8	1		1		1			D3488-3	BLADE FITTING, LH
8		1		1		1		D3488-4	BLADE FITTING, RH
9	1	1	1	1	1	1		D2741	BLADE
10	2	2	2	2	2	2		AN8C21A	BOLT
11	2	2	2	2	2	2		NAS1149D0863J	WASHER
11C							8	D3672-1	WASHER
12	2	2	2	2	2	2		MS21083C8	NUT
*14	4	4	4	4	4	4		AN6C44A	BOLT
*15	8	8	8	8	8	8		D2745	BUSHING
*16	4	4	4	4	4	4		MS21043-6	NUT
*17	8	8	8	8	8	8		D3631-1	WASHER
*18	4	4	4	4	4	4		ALS4-1032-225	INSERT
*19	4	4	4	4	4	4		AN3C6A	BOLT
*20A	4	4	4	4	4	4		NAS1149C0332R	WASHER
*20B	4	4	4	4	4	4		NAS1515H3L	WASHER
*22	3	3	3	3	3	3	3	D3537-1	WEARPAD

• COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR
COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: K
Date: 18.04.04

Item	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
*22A	1	1	1	1	1	1	D3791-1	WEARPLATE
*23A	1	1	1	1	1	1	D3793-1	WEARSHOE (REPLACES D3535-13)
*24A	1	1	1	1	1	1	D3793-5	WEARSHOE (REPLACES D3535-25)
*25A	1	1	1	1	1	1	D3793-3	WEARSHOE (REPLACES D3535-35)
*26A	34	34	34	34	34	34	AN3C5A	BOLT
*27	34	34	34	34	34	34	NAS1149C0332R	WASHER
*28	34	34	34	34	34	34	ALS4-1032-225	INSERT
*30	8	8	8	8			D3492-041	PLUG ASSEMBLY
*31	8	8					D3492-043	PLUG ASSEMBLY
*32			8	8			D3492-045	PLUG ASSEMBLY
***43	2	2	2				D3493-1	WASHER
50	2	2					D3532-1	SPACER
****97					1	1	AN3C34A	BOLT
****98					2	2	NAS1149C0363R	WASHER
****99					1	1	MS21043-3	NUT
100A						4	AN526C1032R10	SCREW
100B						4	AN526C1032R18	SCREW

- * PART OF D2750-041/-042, D2750-043/-044 OR D2750-051/-052 ASSEMBLY
- ** TO BE SUPPLIED BY CUSTOMER
- *** ONLY INSTALLED IF INSTALLING A DART FLOAT SYSTEM
- **** PART OF D2750-051 OR D2750-052 ASSEMBLY